



KS05-TI-AVBL

KS 05 Central Floating Tourbillon

Titanium Blue Aventurine

UNIQUE PIECE

45mm, grade 5 titanium




The KS 05 Collection encapsulates Kross Studio's aptitude for revolutionary timekeeping while maintaining the core principles of traditional watchmaking. This collection heralds a transformative era in luxury timepieces, effortlessly merging artistic craftsmanship, pioneering engineering, and distinctive personal expression.



KS 7'005 Caliber


The KS 05 collection showcases Kross Studio's passion for exceptional engineering with its striking and uniquely constructed movement.

At its heart is the caliber KS 7'005, a manual-winding central floating tourbillon composed of 220 components and boasts a power reserve of 120 hours or 5 days, while ensuring optimal accuracy and longevity.




Peripheral time display

The time display mechanism operates peripherally, working around the barrel and the tourbillon mechanism. The peripheral display orbits 360 degrees around the tourbillon, and the reduction ratio between the hour and minute is achieved through a planetary system mounted on two ceramic ball bearings.



The dials

Each KS 05 is composed of three sub-dials, crafted of Blue Aventurine glass, giving the watch a nice shimmering touch.



Blue aventurine is made of a coloring agent, silica, copper oxide and other metal oxide blended. Its flecked appearance and blue sparkling effect come from the combination, heated and cooled down process of the materials. Once the glass has sufficiently cooled and solidified, it can be shaped and polished to be placed within the dial. This full process ensures that each timepiece can be considered a unique work of art and engineering.




Outer Dial

The outer dial, known as the rehaut, is affixed directly onto the case. It carries the time markings and indices, designed here by Kross to promote a highly legible, instant reading of the time at a glance. Its design and position offer a seamless aesthetic transition from the case to the watch's interior, drawing the eye towards its groundbreaking central floating tourbillon.



Intermediate Dial

The intermediate dial is mounted on top of the movement, specifically on the fixed hour wheel. It serves as a harmonious bridge between the outer dial and the heart of the watch.



Inner Dial

The inner dial, designed with an opening at 9 o'clock, is fixed onto the mainplate of the movement. Positioned beneath the floating tourbillon and the time display mechanism, this innovative dial design allows a clear view onto the gear train and sets a captivating backdrop for the tourbillon, adding depth and setting a visual stage to display the watch's meticulous engineering.



The 45mm case

The 45mm titanium case
Devoid of lugs or edges, the KS 05 case exhibits a sleek, seamless, and ergonomically optimized profile. Instead of a visible crown at 3 o'clock, Kross Studio opted for a clever D-ring crown integrated into the case back, which enables winding and time adjustments without disrupting the watch's clean lines.



A crystal dome

The crystal also receives full technical consideration, with an anti-reflective coating on both its exterior and interior, and the application of an anti-UV and anti-static treatments to the crystal interior.



Case Back

The D-ring crown is integrated into the case back, which enables winding and time adjustments without disrupting the watch's clean lines.

An interchangeable strap system is also incorporated, hidden on the case back, which allows the wearer to swap and update their watch strap with ease.

As a final touch, the Studio's signature cross emblem is delicately emphasized on the barrel bridge.

Technical Specifications

CASE

Diameter

45mm

Thickness

20mm

Thickness without crystal

12.5mm

Material

Grade 5 titanium

Crystal

Dome-shaped anti-reflective sapphire crystal

Case Back

Grade 5 titanium

Crown

D-ring crown in grade 5 titanium

Water Resistance

30m or 3ATM

MOVEMENT

Caliber

KS 7'005

Functions

Manual-winding patented floating central tourbillon

Height

15.28mm

Overall Diameter

33mm

Power Reserve

5 days

Frequency

21'600 bph / 3 Hz

Jewels

27

Technical Specifications

DIAL & HANDS

Dial

Blue aventurine glass triptych dial. Inner bezel with white minute markers

Hands

Rhodium-plated with white Super-LumiNova®

STRAPS & CLASP

Clasp

Grade 5 titanium deployant buckle clasp

